

ge

Date: May 3, 2006 I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "First Class Mail" service.

Kim Blum
Name (Print)

Kim Blum
Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Raymond J. Wong

Examiner: Krishnan S. Menon

Patent No.: 7,033,498 B2

Group Art Unit: 1723

Application No.: 09/996,505

Confirmation No.: 2941

Filed: November 28, 2001

Customer No.: 33432

Docket No.: 3192-002

For: CARTRIDGES USEFUL IN CLEANING DIALYSIS SOLUTIONS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
Attention: Certificate of Corrections
P.O. Box 1450
Alexandria, VA 22313-1450

May 3, 2006

Sir:

The undersigned requests that a Certificate of Correction be issued for the above-identified patent as indicated on the attached Form PTO/SB/44.

This request is being made in order to correct typographical errors as noted in the attached Form PTO/SB/44. It is respectfully submitted that no new matter has been added.

Since these errors are the fault of the United States Patent and Trademark Office, it is respectfully submitted that no fee is required for this request. However, if there are any fees due in connection with this filing, please charge our Deposit Account No. 50-0925.


**Certificate
MAY 09 2006
of Correction**

MAY 9 2006

Request for Certificate of Correction
U.S. Patent No. 7,033,498 B2
U.S. Patent Application No. 09/996,505

Respectfully submitted,

KILYK & BOWERSOX, P.L.L.C.



Luke A. Kilyk
Reg. No. 33,251

Atty. Docket No. 3192-002
KILYK & BOWERSOX, P.L.L.C.
400 Holiday Court, Suite 102
Warrenton, VA 20186
Tel.: (540) 428-1701
Fax: (540) 428-1720
Enclosure: Form PTO/SB/44

MAY 9 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,033,498 B2

APPLICATION NO. : 09/996,505

ISSUE DATE : 4/25/2006

INVENTOR(S) : Wong

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS:

Claim 33, column 23, line 35, "claim 32" should read --claim 31--

Claim 35, column 23, line 41, "ammoniuin" should read --ammonium--

Claim 41, column 23, line 59, "trough" should read --through--

Claim 44, column 24, line 8, "(withdrawn)" should be deleted.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Luke A. Kilyk
KILYK & BOWERSOX, P.L.L.C.
400 Holiday Court, Suite 102
Warrenton, Virginia 20186

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application for to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Date: May 3, 2006 I hereby certify that, on the date indicated above, I deposited this paper with identified attachments and/or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 by "First Class Mail" service.

Kim Blum

Name (Print)



Signature

MAY 9 2006